

PRODUCT DATA SHEET

BAGGES TMS

RoHSII : The material is in compliance with EU directive 2011/65/EU (RoHS II)

Components : Mica/Silicone

Color : Grey

Mechanical Properties	TestMethod	Value	Unit	Thickness	Note
Compressive resistance	ISO 178	250	N/mm ²		
Tension resistance	ISO 178	100	N/mm ²		
Cohesion between layers		-	MPa	id<100mm	Test method ISO 61212-2
Physical Properties					
Density		2,25	g/cm ³		
Water absorption	DIN 53475	1,1	%		
Electrical Properties					
Electric strength in air at 23°C	IEC 60243	20	kV/mm		
Electric strength in oil at 90°C	IEC 60243	-	kV/mm	3,0mm*	
Electric strength in oil at 90°C	IEC 60243	-	kV/25mm	> 3,0mm	
Permittivity 50 Hz	IEC 60250	-			
Permittivity 1 MHz	IEC 60250	-			
Dissipation factor 50 Hz	IEC 60250	-			
Insulation resistance after immersion in water	IEC 60167	-	M Ω	**	
Thermal Properties					
Thermal resistance / short time		500/700	°C		

* id > 8mm, and/or od > 10mm.
 ** Wall thickness

The data mentioned in this data sheet is after our knowledge correct, but we reserve the right to make changes without notice.

rev: 09/2021